(12)

EUROPEAN PATENT APPLICATION

(72) Inventor: Derby, Jeffrey Haskell
104 Foxridge Court
Chapel Hill, NC 27514 (US)
Inventor: Drake, John Ellis, Jr.
321 Fearrington
Pittsboro, NC 27312 (US)

Inventor: Gun, Levent
4324 Swarthmore Road
Durham, NC 27707 (US)
Inventor: Galand, Claude
56 Avenue des Tuilières
F-06800 Cagnes-sur-Mer (FR)
Inventor: Marin, Gerald Arnold
3704 Sweeten Creek Road
Chapel Hill, NC 27514 (US)
Inventor: Roginsky, Allen Leonid
5610 Loyal Avenue
Durham, NC 27713 (US)
Inventor: Tedijanto, Theodore Ernest
106 Tasman Court
Cary, NC 27513 (US)

(74) Representative: de Pena, Alain
Compagnie IBM France
Département de Propriété Intellectuelle
F-06610 La Gaude (FR)

(54) Dynamic bandwidth estimation and adaptation for packet communications networks.

(57) Access control for a packet communications network includes a dynamic bandwidth updating mechanism which continuously monitors the mean bit rate of the signal source and the loss probability of the connection. These values are filtered to remove noise and then used to test whether the values fall within a pre-defined acceptable adaptation region in the mean bit rate, loss probability plane. Values falling outside of this region trigger bandwidth updating procedures which, in turn, result in acquiring a new connection bandwidth, and determining new filter parameters and new parameters for a leaky bucket access mechanism.

FIG. 3

SOURCE BANDWIDTH MANAGEMENT SUBSYSTEM

EP 0 643 514 A2